UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/576,905	04/21/2006	Raphael Belaubre	108-2153	7431
	7590 02/17/200 R PARADIES, PH.D.	EXAMINER		
FOWLER WHITE BOGGS BANKER, P.A.			DEFRANK, JOSEPH S	
501 E KENNEDY BLVD, STE. 1900 TAMPA, FL 33602			ART UNIT	PAPER NUMBER
			3724	
			MAIL DATE	DELIVERY MODE
			02/17/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/576,905	BELAUBRE, RAPHAEL
Office Action Summary	Examiner	Art Unit
	JOSEPH DEFRANK	3724
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perions a finite or period for reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the main earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO 1.136(a). In no event, however, may a reply be to d will apply and will expire SIX (6) MONTHS fron ute, cause the application to become ABANDON	N. imely filed in the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
1) ☐ Responsive to communication(s) filed on 24 2a) ☐ This action is FINAL . 2b) ☐ The substitution of	nis action is non-final. vance except for formal matters, pr	
Disposition of Claims		
4) ☐ Claim(s) 12,14,15 and 18-26 is/are pending 4a) Of the above claim(s) is/are withdown 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 12,14,15 and 18-26 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and Application Papers	rawn from consideration.	
9) The specification is objected to by the Examination The drawing(s) filed on is/are: a) and a specificant may not request that any objection to the Replacement drawing sheet(s) including the correct of the specific to by the specific to be specification.	ccepted or b) objected to by the ne drawing(s) be held in abeyance. Seection is required if the drawing(s) is objection.	ee 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) ☐ Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority docume 2. ☐ Certified copies of the priority docume 3. ☐ Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a limit	ents have been received. ents have been received in Applica riority documents have been receive eau (PCT Rule 17.2(a)).	tion No ved in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summar Paper No(s)/Mail I 5) Notice of Informal 6) Other:	Date

Application/Control Number: 10/576,905 Page 2

Art Unit: 3724

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/24/08 has been entered.

2. Claims 12, 14, 15, and 18-26 are pending.

Claim Rejections - 35 USC § 103

- 3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 4. Claims 12, 14, 15, and 18-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Van Keppel et al. (US 5,937,523; as cited in IDS; hereafter Van Keppel) in view of DiMatteo et al. (US 2001/005941; as previously cited; hereafter DiMatteo), and/or Lawrence (US 1,698,136), and/or Hover (US 83,062), and/or Hedge (US 473).
- 5. With respect to claim 12, Van Keppel discloses a cigar cutter device comprising: a pair of blades (30), each of the pair of blades having a pivot axis (defined by 16), and a sharp cutting edge (34), the cutting edge having a concave leading profile (see figure 2 or 3); a means for connecting together the pair of blades (12), the means for connecting having an orifice (26) and a connecting element (16) operatively engaging

Art Unit: 3724

the pivot axis of the pair of blades, wherein the orifice is suitable for receiving a cigar (see figure 1), when the blades are in the closed position, the blades are superposed. Van Keppel discloses the blades hinging on the same pivot axis. Van Keppel does not disclose the blades each having a unique pivot axis with unique connecting elements. Further, Van Keppel does not disclose gears mounted on each blade such that the plurality of gear teeth of one of the pair of blades, operatively meshes with the plurality of gear teeth of the other of the pair of blades whereby the cutting edges of the pair of blades simultaneously and symmetrically move during cutting.

Page 3

Examiner notes that this type of hinged connection between two pivoting elements is an old and well known geared joint. The art of Hedge discloses two pivoted members (a) having integrated gear cogs (c). Each pivoting member has its own pivot axis. Hedge further discloses means for connecting (b) on each side of the pivoting arms and further connecting elements (rivets, line 70). This double pivot axis gear joint is used to "insure the accurate and equal turning upon each center in the process of opening and closing the joint" (lines 96-99). Hover discloses another hinge (c) having two distinct pivot axes (the two axes of the two different doors B) having integrated meshing gear teeth (A). This setup is used such that when force is applied to one side of the hinge (a first door) the second door moves (pivots, rotates) in an equal manner (see second paragraph of the first column). The art of Lawrence also discloses a similar gear hinge having two separate pivot axes. Lawrence describes the benefits of such a setup to be that the hinges cause the two elements to be pivoted by the hinge "to move simultaneously and equally and the members are inter-braced through the hinge

Application/Control Number: 10/576,905

Art Unit: 3724


upon each other" (lines 21-25). Further, DiMatteo discloses a pair of shears with which the handles have a similar joint setup. The handles (12) have integrated gear portions (34, 36) and distinct pivot axes (60, 62). The gears mesh in such a way that the force of cutting is equally distributed between the two handles (paragraph 26). As shown by the above references, this common joint is known for creating symmetric, smooth motion between two pivoted elements as well as distributing force equally between the two elements. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the cigar cutter of Van Keppel to have the blades each having a unique pivot axis with unique connecting elements and for the blades to have operatively meshing gear cogs about the pivot axes projecting outward toward each other in view of DiMatteo and/or Lawrence and/or Hover and/or Hedge in order to have the blades pivot in a symmetric manner and distribute the force between the two blades.

Page 4

- 6. With respect to claim 14, Van Keppel discloses the device wherein the means for connecting includes a pair of plates (18) disposed on opposite sides of the pair of blades sandwiching the pair of blades, the pair of plates each having a hole (26) defining the orifice of the means for connecting.
- 7. With respect to claim 15, the modified cutter of Van Keppel discloses the device wherein the plurality of teeth of both of the pair of blades are disposed in a common plane disposed between the cutting edges of the pair of blades. Examiner notes that the teeth have to be disposed in the same plane and between the cutting edges in order to comply with any of the teachings of the hinge cited above.

Art Unit: 3724

8. With respect to claim 18, Van Keppel discloses the device wherein the cutting edge of each of the pair of blades is disposed between the pivot axis and a handle (32) is formed in a portion of each of the pair of blades opposite of the pivot axis.



- 9. With respect to claims 19 and 20, Van Keppel discloses the device wherein the means for connecting includes a resilient connection means (torsion spring 42) between the pair of blades holding the pair of blades in an open position, and the device further comprises a temporary closure means (44 and nub 38) for holding the pair of blades in the closed position.
- 10. With respect to claim 21, Van Keppel discloses the device including an abutment guide means (the raised portion of the handle contacts the body as seen in figure 2 which stops the motion) for enabling the relative displacement of each of the pair of blades to be limited. Further Van Keppel discloses a pin (44) in a track (36) that has a side wall at the furthest possible closure point (see figure 6).

Application/Control Number: 10/576,905

Art Unit: 3724

11. With respect to claim 22, the modified apparatus of Van Keppel discloses using a method of cutting a cigar using the cigar cutter comprising: using the device wherein the cigar is inserted between the cutting edges (see figure 1) of the pair of blades through the orifice; and moving the cutting edges of the pair of blades towards each other, simultaneously and symmetrically (as a result of the modified hinge between the blades), such that the pair of blades are in the closed position and the cigar is cut.

Page 6

- 12. With respect to claims 23-25, Van Keppel discloses the device wherein the abutment guide means includes a slider (44) and an arcuate slideway channel (36), and the slider is coupled to at least one of the pair of plates and engages the slideway such that displacement of the pair of blades is limited to no greater than a length of the slideway (the slider will contact the slideway end wall as seen in figure 6), formed in both of the blades and the slider pin is coupled to each of the pair of plates and extending through both of the slideways (see figure 6).
- 13. With respect to claim 26, the modified apparatus of Van Keppel does not disclose the device wherein the plurality of gear teeth is limited to two gear teeth per each of the pair of blades. Examiner notes that it is common practice in the gear arts to provide only the necessary number of cogs on a gear that are needed. For example, on a circular gear, if the gear only turns 30 degrees, then cogs are only provided on approximately 30 degrees of the circumference of the circular gear. This technique is clearly shown in all of the references used to describe this style of joint above. Each reference has a unique range of motion and a corresponding number of teeth. The best example of this is the art of Hedge which only has integrated teeth extending around

Application/Control Number: 10/576,905 Page 7

Art Unit: 3724

only the equivalent of 90 degrees of a circle (see figure 1). It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the gears portions of the modified cutter of Van Keppel to only have two teeth on each meshing side. There are a finite number of teeth (as well as a numbers of gear teeth pitches) that can be positioned around the circumference, and it would have been obvious to try and remove the teeth which aren't used through the full range of motion of the cigar cutter with a reasonable expectation of success. Removing unnecessary teeth doesn't effect the operation of the cigar cutter.

Response to Arguments

14. Applicant's arguments with respect to claim 12 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JOSEPH DEFRANK whose telephone number is (571)270-3512. The examiner can normally be reached on Monday - Thursday; 9am-6pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer Ashley can be reached on (571) 272-4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/576,905 Page 8

Art Unit: 3724

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jason Daniel Prone/ Primary Examiner, Art Unit 3724 Joseph De Frank Examiner Art Unit 3724

JD 2/10/09 /J. D./ Examiner, Art Unit 3724